



2024 8 30

Z0018419



1


	8 28	8 29					
I2505	774.5	777.5	3.0	0.93	-0.11	1.18	-0.54
I2409	754.5	760.0	5.5	43.22	4.31	52.77	1.15
I2501	739.5	744.5	5.0	3.37	0.22	7.82	0.08
I2409-I2505	20.0	17.5	-2.5	—	—	—	—
I2501-I2409	15.0	15.5	0.5	—	—	—	—


2



/

		8 28	8 29			
		747	750	3	33.1	4.2%
		757	760	3	41.7	5.2%
		729	732	3	27.6	3.5%
		717	720	3	27.5	3.5%
		691	694	3	53.5	6.6%
		885	888	3	77.0	9.2%
		755	758	3	12.5	1.6%
		704	707	3	16.3	2.1%
		629	632	3	75.0	9.0%
		680	683	3	61.7	7.5%
		670	673	3	80.3	9.6%
		855	858	3	102.1	11.8%
		671	674	3	37.4	4.7%
		860	863	3	113.6	13.0%
		909	909	0	159.3	17.3%
		815	815	0	58.5	7.1%
		920	920	0	129.1	14.5%
		960	960	0	231.9	23.4%
		751	754	3	52.2	6.4%

	8 27	8 28	
	101.20	100.55	-0.65
	101.10	100.45	-0.65
	1721.00	1755.00	34.00
	2755.00	2883.00	128.00
	26.46	27.39	0.93
	10.99	11.31	0.33









fd

